



Fuel Pool Clean Up

Spent fuel is handled and stored under water for safety. Fuel pool clean-up systems are employed to ensure quality and clarity of this water. DuPont provides special ion exchange resins in either single beds or mixed beds made from individual components or ready to use mixed beds that can be used for spent fuel pool clean-up systems. In certain cases, reverse osmosis membranes can be used to concentrate the radioactive stream and thus reduce the waste amount to be treated.

TECHNOLOGY	PRODUCT	FEATURES AND RECOMMENDED USES	TYPE	MATRIX	MINIMUM TOTAL VOLUME CAPACITY (eq/L)
ION EXCHANGE RESINS	INDIVIDUAL RESINS FOR CUSTOMIZED CHEMISTRY CONTROL¹				
	DuPont™ AmberLite™ IRN97 H	High capacity 10% DVB uniform particle size cation resin for purification of fuel pool in VVER circuit #4 systems with good resistance to oxidative conditions.	SAC	GEL	2.10
	DuPont™ AmberLite™ IRN99 H	Premium 16% DVB uniform particle size cation resin with very high capacity and oxidative stability. High selectivity for cationic radioisotopes and high total capacity for long runs resulting in reduced waste and exposure. The high oxidative stability results in reduced fuel pool sulfate concentration and long resin life in this oxidative environment.	SAC	GEL	2.50
	DuPont™ AmberLite™ IRN78 OH	Premium high solids uniform particle size anion resin with very high capacity used for removal of anionic radioisotopes.	SBA	GEL	1.20
	DuPont™ AmberLite™ IRN9766 OH	Macroporous anion resin designed to remove radioactive colloidal material in all nuclear applications. Often used as an overlay above a mixed bed or a cation resin.	SBA	MACRO	0.85
	READY TO USE MIXED BEDS				
	DuPont™ AmberLite™ IRN160 H/OH	High capacity nuclear grade mixed bed composed of uniform particle size AmberLite™ IRN97 H and IRN78 OH resins on a 1:1 equivalent basis. Designed to minimize separation of anion and cation during installation and transfer.	MB	GEL/GEL	2.10/1.20
	DuPont™ AmberLite™ IRN170 H/OH	Premium nuclear grade mixed bed composed of uniform particle size AmberLite™ IRN99 H and IRN78 OH resins on a 1:1 equivalent basis. Offers maximum oxidative stability and high operating capacity to achieve low fuel pool sulfate concentration and long resin life.	MB	GEL/GEL	2.50/1.20
	DuPont™ AmberLite™ IRN9882 H/OH	Nuclear grade macroporous mixed bed composed of 40% cation resin (12% DVB) and 60% AmberLite™ IRN9766 OH Resins on a volume basis. Offers high exchange kinetics and the ability to remove colloids for highest decontamination rates.	MB	MACRO/MACRO	1.65/0.85
REVERSE OSMOSIS	FilmTec™ Elements	Please contact your DuPont representative for assistance.	N/A	N/A	N/A

Key:

- ¹ = Mixed beds using individual cation and anion must be prepared in-situ.
- SBA = Strong Base Anion
- SAC = Strong Acid Cation
- MB = Mixed Bed

Powering performance worldwide.

With a large global manufacturing footprint, strong R&D expertise and technical support services and systems, we supply high market volumes with high quality. DuPont partners with you, our customer, to understand unmet needs and develop tailored solutions.

TECHNICAL SERVICE, RESEARCH & DEVELOPMENT

Chauny, France*
Edina, MN, USA
Huzhou, China
Hyderabad, India
KAUST Jeddah, KSA
Midland, MI, USA
Shanghai, China Singapore
Tarragona, Spain*
Wilmington, DE, USA

COMMERCIAL OPERATIONS

Astana, Kazakhstan
Bangkok, Thailand
Beijing, China
Bogota, Colombia
Buenos Aires, Argentina
Budapest, Hungary
Dubai, UAE
Chengdu, China
Delhi, India
Edina, MN, USA
Guangzhou, China
HCM City, Vietnam
Hong Kong, China
Jakarta, Indonesia
Johannesburg, South Africa
Kuala Lumpur, Malaysia
Madrid, Spain

Manila, Philippine
Melbourne, Australia
Mexico City, Mexico
Midland, MI, USA
Moscow, Russia
Mumbai, India Nairobi,
Kenya
Paris, France São
Paulo, Brazil
Seoul, Republic of Korea
Pfaeffikon, Switzerland
Shanghai, China Singapore
Surubya, Indonesia Taipei,
Taiwan Tokyo, Japan
Warsaw, Poland

MANUFACTURING

Chauny, France
Edina, MN, USA
Fombio, Italy
Huzhou, China
Jubail Industry
City, Saudi
Arabia Midland,
MI, USA
Qingpu, China
Soma, Japan



Have a question? Contact us at:

www.dupont.com/water/contact-us

All information set forth herein is for informational purposes only. This information is general information and may differ from that based on actual conditions. Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where DuPont is represented. The claims made may not have been approved for use in all countries. Please note that physical properties may vary depending on certain conditions and while operating conditions stated in this document are intended to lengthen product lifespan and/or improve product performance, it will ultimately depend on actual circumstances and is in no event a guarantee of achieving any specific results. DUPONT ASSUMES NO OBLIGATION OR LIABILITY FOR THE INFORMATION IN THIS DOCUMENT. References to "DuPont" or the "Company" mean the DuPont legal entity selling the products to Customer unless otherwise expressly noted. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED. No freedom from infringement of any patent or trademark owned by DuPont or others is to be inferred.

DuPont™, the DuPont Oval Logo, and all trademarks and service marks denoted with ™, SM or ® are owned by affiliates of DuPont de Nemours, Inc. unless otherwise noted. © 2023 DuPont. All right reserved