



BIOBAN™ IPBC 100 Antimicrobial

EPA Reg No.464-8123

CAS No. 55406-53-6

EINECS: 259-627-5


General

BIOBAN™ IPBC 100 Antimicrobial containing 98% w/w 3-Iodo-2-propynylbutylcarbamate (IPBC) active ingredient is a broad spectrum preservative and dry film fungicide effective against a wide range of fungal organisms.

BIOBAN IPBC 100 Antimicrobial offers excellent dry film fungal protection in interior and exterior paints, coatings, wood protective stains and above-the-ground wood preservatives. This product may also be used as a fungicide in paper coatings, inks, adhesives, sealants and cordage and metalworking fluids.

BIOBAN IPBC 100 Antimicrobial does not contain any organo-metallics compounds and is compatible with both aqueous and solvent based formulations.

Structure



Physical Properties

The following are typical properties of BIOBAN IPBC 100 Antimicrobial; **they are not to be considered product specifications.**

Appearance: Off white solid
 pH (0.1% in water, 25°C/ 77°F): 5.0 (approximate)
 Solubility: Soluble in aromatic and alcohol based solvents
 Specific gravity (25°C/77°F):..... 1.51 – 1.57
 Decomposition point:..... 192°C (377.6°F)

Antimicrobial Activity

The efficacy of the IPBC active has been tested against various microorganisms by the determination of the Minimum Inhibitory Concentration (MIC).

Fungi	MIC (ppm ai)
<i>Alternaria alternata</i>	2
<i>Aspergillus niger</i>	2
<i>Aureobasidium pullulans</i>	1
<i>Cephalosporium fragrans</i>	2
<i>Ceratocystis pilifera</i>	1
<i>Chaetomium globosum</i>	5
<i>Cladosporium cladosporoides</i>	2
<i>Gliocladium virens</i>	5
<i>Lentinus tigrinus</i>	2
<i>Penicillium glaucum</i>	1
<i>Phialophora fastigiata</i>	2
<i>Sclerophoma pityophila</i>	1
<i>Trichoderma virens</i>	2

Bacteria & Yeasts

<i>Escherichia coli</i>	1000
<i>Staphylococcus aureus</i>	200
<i>Rhodotorula rubra</i>	20
<i>Sporobolomyces roseus</i>	7.5

ppm ai = parts per million active ingredient

Reported MIC values shown demonstrate the spectrum of antimicrobial activity of IPBC (ppm, active ingredient). The MIC tests only demonstrate the innate activity and should not be used as a guide to determine levels to use in your formulations.

**Applications/
Directions for Use**

Application	Recommended use level* (% w/w product)	Comments
Adhesives Non-medical, non-food use natural and synthetic adhesive formulations, caulks, patching compounds, sealants, grouts, latexes used in the manufacture of flooring adhesives and carpet backings.	0.02 – 0.25	To be added toward the end of production cycle with good agitation to ensure uniform distribution.
Inks	0.05-3.00	To be added at the end of the production cycle with good agitation.
Paints & Stains, exterior Solvent and waterborne Paints & Stains	0.10 – 0.80	To be added at the end of the grinding process and allowed to mix long enough to be adequately dispersed. Not to be added to hot paint.
Paints & Stains, interior Solvent and waterborne Paints & Stains	0.10 - 0.25	Where mildew growth is a major problem for painted surfaces, use at the higher end of the concentration range.
Plastics & Plastics coatings; Shower curtains, wire & cable insulation and sun umbrellas, etc.	0.05 – 1.00	To be dispersed in the plasticizer or color concentrate before it is incorporated into the resin to ensure uniform distribution. Not recommended if the heat of processing is above 350°F (177°C) for prolonged periods. Not to be used in plastics that will have contact with food or medical device applications.
Paper Coatings. Paper and cardboard substrates coatings – non-food contact applications only	0.02 - 0.75	To be added at the end of the production cycle and with good agitation to prevent possible mechanical losses and ensure uniform distribution.
Cordage Aqueous and solvent based process formulations which coat cordage.	0.02 - 1.00	To be added to the process formulation at the end of the production cycle with good agitation to prevent possible mechanical losses and to ensure a uniform distribution.
Textile Carpet fibers, carpet backing, canvas, cordage, drapes and shower curtains	0.02 - 1.00	For use in both aqueous and solvent-based coatings or dyes which are typical to the textile material processing. The product should be solubilized or stirred in the dye bath or polymer coating to ensure a uniform distribution. Not to be used in fabrics intended for human wear or direct skin contact.

Application	Recommended use level* (% w/w product)	Comments
Wood treatment – freshly sawn wood	0.10 – 1.50	For use on wood in above-ground applications only. Treating solutions may be prepared by solubilizing this product in a suitable solvent or made into an aqueous dispersion. Suggested levels depend upon the severity of conditions for end use, and the extent of time that protection is required. The treatment can be applied by dip method or spray method. For best results, lumber should be treated within 24 hours of sawing. The lumber should be completely immersed in the treating bath in the dip method, to have required loading of the product and to minimize spillage. The fresh sawn wood can also be treated with spray treatments using various spray technologies such as lateral or in-line spray booths, Flood coaters or electrostatic sprayer.
Wood Preservation –wood based products-engineered wood products and millwork	0.2 – 1.00	For use on wood in above-ground applications only. Treating solutions may be prepared by solubilizing this product in a suitable solvent or made into an aqueous dispersion. The treating solution may be applied by dipping, brushing, spraying or pressure treatment. A concentration of 0.15% for mildew control and 0.20% for decay control is normally used. However, higher concentration up to 1% is recommended depending on the intended exposure, and length of protection desired.
Wood stains. interior or exterior protective coatings	0.10 – 0.80	For use on wood in above-ground applications only.
Preservation of surface and building materials**	0.10-0.50	For treatment of tiling joint fillers, grouts, plaster plates applied on buildings (indoor) and surface materials applied on buildings (e.g., cement layer, plaster).
Metalworking fluids. Synthetic, semi-synthetic & soluble Cutting, Cooling & Lubricating Fluids.	≤ 0.10 in the end use diluted MWF.	Can be used in MWF concentrates as well as in diluted formulations. The amount of product required in the concentrate will depend on the end use dilution. Can be added directly to the sump with adequate agitation (tank side addition).

*These are recommended use levels; Laboratory evaluation and field trials are suggested in order to determine the optimum levels and cost effective use for BIOBAN™ IPBC 100 Antimicrobial in a given end application. Dow Biocides Technical Laboratories, located in countries around the world, are available to assist in such testing.

**Only for certain countries

Safety & Labeling

Please refer to the Safety Data Sheet (SDS) and product label.

Handling

Keep away from heat sparks and flame. Avoid contact with eyes, skin and clothing. Avoid breathing vapor. Use with adequate ventilation. When handling products directly, personal protective equipment, including chemical splash goggles, chemically resistant gloves and apron should be worn.

Storage

Shelf life:	Two years from production date when stored as directed.
Storage:	4°C to 32°C (39°F to 90°F). Containers should not be exposed to direct sunlight. Do not store with strong oxidizing agents or strong (concentrated) acids.

Product disposal

Do not contaminate water, food or feed by storage or disposal. Excess product and rinse water has to be disposed according to local regulations for disposal. A small quantity of BIOBAN™ IPBC 100 Antimicrobial will likely remain in the container; this container should be triple rinsed and the rinse water should be treated as waste. To ensure that containers are not reused, they should be pierced before disposal.

Spill Handling

Use appropriate safety equipment. Contain spilled material if possible. Collect in suitable and properly labeled containers. Care should be taken to prevent contact with any exposed skin of the personnel conducting the clean up. These materials can be disposed according to local regulations. Refer to the Safety Data Sheet (SDS) for additional information.

Product Stewardship

Dow has a fundamental concern for all who make, distribute, and use its products, and for the environment in which we live. This concern is the basis for our product stewardship philosophy by which we assess the safety, health, and environmental information on our products and then take appropriate steps to protect employee and public health and our environment. The success of our product stewardship program rests with each and every individual involved with Dow products – from the initial concept and research, to manufacture, use, sale, disposal, and recycle of each product.

For further information visit our website:
www.dowmicrobialcontrol.com
or call:

Central and Eastern Europe:
Turkey +90-216-571-16-00
Russia +7-495-663-78-20
Poland +48-22-543-18-00
Western Europe:
+800-3-694-6367 (toll-free)
+31-115-67-26-26 (phone)
+31-115-67-28-28 (fax)
North America:
+1-800-447-4369 (toll-free)
+1-989-832-1560 (phone)
+1-989-832-1465 (fax)
Middle East and Africa:
UAE +971-4-332-88-66
South Africa +800-99-5078 (toll-free)
Greater China:
Shanghai +86-21-3851-1000
Beijing +86-10-8527-9199
Guangzhou +86-20-3813-0600
Taiwan +886-227-718-000
Southeast Asia:
Philippines +63-2-867-3293
Indonesia +62-21-2995-6273
Singapore +65-6830-4575
+65-6796-6217
Thailand +66-2365-7371
Vietnam +84-8-3822-5808
Malaysia +603-7965-5200
Australia and New Zealand:
+613-9226-3500 (phone)
+61-3-9226-3562 (fax)
Japan and Korea:
Japan +81-3-5460-2261
Korea +82-2-3490-4348
Indian Subcontinent:
+91-22-6793-4953 (phone)
+91-22-6793-4924 (fax)
Latin America:
+55-11-5188-9555 (phone)
+55-11-5188-9400 (fax)
Other Global Areas:
+1-989-832-1560 (phone)
+1-989-832-1465 (fax)

Notice: No freedom from any patent owned by Dow or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where Dow is represented. The claims made may not have been approved for use in all countries. Dow assumes no obligation or liability for the information in this document. References to "Dow" or the "Company" mean the Dow legal entity selling the products to Customer unless otherwise expressly noted. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.

USE BIOCIDES SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.

