

DuPont™ Kalrez® Spectrum™ 7375 Perfluoroelastomer Parts for Mechanical Seals in a Chemical Reactor

Chemical reactors are highly reliable systems that use chemical reaction to transform raw materials into new products. As these raw materials are often very aggressive and because of the continuous rotation of the stirrer, the use of mechanical seals is set as the preferred option. The selection of the right material for the O-Rings installed in the mechanical seal is highly decisive to ensure reliability and process safety. Kalrez® Spectrum™ 7375 O-Rings have proven their high efficiency compared with competitive FFKM.

- **Chemicals:** Various fluids (customer confidential) including water
- **Process conditions:** 200 °C, 4 bar
- **Incumbent solution:** Competitive FFKM
- **Incumbent performance:** Insufficient lifetime due to severe chemical attack

Kalrez® Spectrum™ 7375 performance:

- Kalrez® Spectrum™ 7375 O-Ring outperforms competitive FFKM seal by **extending its lifetime** from 1 year to at least 2.5 years.
- The cleaning process has become much more demanding over the years. Starting from an annual maintenance, the reactor is now cleaned 3 times per year (the current competitive FFKM O-Rings would require a change **every 6 months**).
- After a long-term testing phase, the end user is highly satisfied by the solution and recognizes all the efforts to remain focused on finding a suitable solution.


Visit us at kalrez.com

The information set forth herein is furnished free of charge, is based on technical data that DuPont believes to be reliable and represents typical values that fall within the normal range of properties. This information relates only to the specific material designated and may not be valid for such material used in combination with other materials or in other processes. It is intended for use by persons having technical skill, at their own discretion and risk. This information should not be used to establish specification limits nor used alone as the basis of design. Handling precaution information is given with the understanding that those using it will satisfy themselves that their conditions of use present no health or safety hazards and comply with applicable law. Since conditions of product use and disposal are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information. As with any product, evaluation under end use conditions prior to specification is essential. Nothing herein is to be taken as a license to operate or a recommendation to infringe on patents.

CAUTION: Do not use DuPont materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless the material has been provided from DuPont under a written contract that is consistent with the DuPont policy regarding medical applications and expressly acknowledges the contemplated use. For further information, please contact your DuPont representative.

DuPont's sole warranty is that our products will meet our standard sales specifications in effect at the time of shipment. Your exclusive remedy for breach of such warranty is limited to refund of purchase price or replacement of any product shown to be other than as warranted. TO THE FULLEST EXTENT PERMITTED BY APPLICABLE LAW, DUPONT SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, MERCHANTABILITY, OR NON-INFRINGEMENT. DUPONT DISCLAIMS LIABILITY FOR ANY SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES.

DuPont™, the DuPont Oval Logo, and all trademarks and service marks denoted with ™, ® or © are owned by affiliates of DuPont de Nemours, Inc. unless otherwise noted. © 2022 DuPont. All rights reserved.



Competitive FFKM
after 2 cleaning cycles
over ~2 years

Kalrez® Spectrum™ 7375
after 8 cleaning cycles
over ~2.5 years