

**SUPPLEMENTAL USE  
DIRECTIONS**

**DuPont Crop  
Protection**

**DUPONT™ PUNCH™  
FUNGICIDE**

**DUPONT™ PUNCH™ FUNGICIDE**

**FOR USE ON SOYBEANS TO CONTROL ASIAN SOYBEAN RUST  
(*Phakopsora pachyrhizi*)**

**SECTION 18 QUARANTINE EXEMPTION**

**File Symbol: 05-SD-06**

**FOR DISTRIBUTION AND USE ONLY IN THE  
STATE OF SOUTH DAKOTA  
UNDER SECTION 18 QUARANTINE EXEMPTION**

*This is an unregistered product and may be used for distribution and use only in states with a valid section 18 authorization.*

These Use Directions must be in possession of the user at the time of pesticide application.

Any adverse effects resulting from the use of PUNCH™ fungicide under this quarantine exemption must be immediately reported to the South Dakota Department of Agriculture.

Any unused unregistered product must either be returned to the manufacturer or distributor (unopened containers) or disposed of in accordance with the Resource Conservation and Recovery Act regulations following the expiration of this exemption.

**EFFECTIVE PERIOD:**

These Use Directions become effective 02/07/07 and expire on 02/07/2010.

A maximum of 3 total applications using approved Section 18 products collectively can be made under this soybean rust Section 18.

A maximum of 2 million acres of soybeans may be treated under this exemption.

**ENVIRONMENTAL HAZARDS**

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. This product may contaminate water through runoff. This product has a potential for runoff for several months or more after application.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its product labeling.

**GENERAL INFORMATION**

PUNCH™ is a locally systemic fungicide recommended for the control of Asian soybean rust on soybeans. The Reentry interval for soybeans is 7 days. Apply as a spray with ground, air, or chemigation equipment, except as otherwise directed, using sufficient water to obtain thorough coverage of plants.

**CROP ROTATION RESTRICTIONS**

Soybeans may be re-planted anytime after PUNCH™ applications. Root and leafy vegetables may be planted 30 days after PUNCH™ applications. Small grains and all other crops may be planted 40 days after PUNCH™ applications.

## **USE RATES AND APPLICATION TIMINGS**

### **Rate**

Use PUNCH™ at 3 fl oz to 4 fl oz per acre for control of Asian soybean rust (*Phakopsora pachyrhizi*).

### **Application Information**

- Apply PUNCH™ as a broadcast foliar spray.
- Apply PUNCH™ on a 14-21 day schedule.
- Do not apply PUNCH™ within 30 days of harvest.
- Apply no more than 2 applications per 12 month period.
- Do not use soybean hay or forage for livestock feed.

### **Application Volumes**

- For conventional ground application, apply a minimum of 10 gallons per acre, increasing the spray volume as the plants mature to ensure thorough coverage of foliage.
- For air-assisted ground application, apply a minimum of 10 gallons per acre.
- For aerial application, apply a minimum of 5 gallons per acre.
- For chemigation, see the chemigation section of the product label.

## **IMPORTANT**

**BEFORE USING THIS FUNGICIDE, READ AND CAREFULLY NOTE THE PRECAUTIONARY STATEMENTS AND OTHER PROCEDURAL INFORMATION APPEARING ON THE PRODUCT LABEL OR ON OTHER SUPPLEMENTAL USE DIRECTIONS.**

This bulletin contains new or supplemental instructions for use of this product in combinations which do not appear on the package label. Follow the instructions carefully.

Read the Limitation of Warranty and Liability on the product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the product label.

R-745 061807 020707