

**DuPont™ Tyvek® Fluid Applied Flashing and Joint Compound**

Version 3.0

Revision Date 04/20/2011

Ref. 130000094930

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : DuPont™ Tyvek® Fluid Applied Flashing and Joint Compound  
MSDS Number : 130000094930

Manufacturer : DuPont  
Building Innovations  
1007 Market Street  
Wilmington, DE 19898

Product Information : 1-302-774-1000  
Medical Emergency : 1-800-441-3637 (outside the U.S. 1-302-774-1139)  
Transport Emergency : CHEMTREC: 1-800-424-9300 (outside the U.S. 1-703-527-3887)

**SECTION 2. HAZARDS IDENTIFICATION**

## Emergency Overview

May cause eye and skin irritation. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May cause irritation of respiratory tract.

## Potential Health Effects

This product is a mixture. Health hazard information is based on its components.

Skin : May cause: Irritation with discomfort or pain, redness or rash, itching or swelling.

Eyes : May cause: transient irritation with discomfort, tearing.

Inhalation : Inhalation of mist or dried residue causes irritation of respiratory system.

Target Organs : Skin, Respiratory Tract

Carcinogenicity  
Material

IARC	NTP	OSHA
Titanium dioxide	2B	

**DuPont™ Tyvek® Fluid Applied Flashing and Joint Compound**

Version 3.0

Revision Date 04/20/2011

Ref. 130000094930

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS-No.	Concentration
Proprietary polymer		25 - 50 %
Polyether diol		15 - 25 %
Precipitated calcium carbonate	471-34-1	20 - 30 %
Titanium dioxide	13463-67-7	5 - 10 %
Diamino silane	1760-24-3	1 - 5 %
Trimethoxyvinylsilane	2768-02-7	1 - 2 %

Additives in this product do not present a respiration hazard unless the product is ground to a powder of respirable size and the dust is inhaled. All dusts are potentially injurious to the respiratory tract if respirable particles are generated and inhaled.

**SECTION 4. FIRST AID MEASURES**

- Skin contact : In case of contact, immediately flush skin with plenty of water. Get medical attention if irritation develops and persists.
- Eye contact : Rinse with plenty of water. Consult a physician if necessary.



**DuPont™ Tyvek® Fluid Applied Flashing and Joint Compound**

Version 3.0

Revision Date 04/20/2011

Ref. 130000094930

- Inhalation : Remove person to fresh air. If signs/symptoms continue, get medical attention.
- Ingestion : DO NOT induce vomiting unless directed to do so by a physician or poison control center.

**SECTION 5. FIRE-FIGHTING MEASURES**

- Fire and Explosion Hazard : Does not readily burn or support combustion. Nitrogen oxides, carbon monoxide and unidentified organic compounds may be formed upon combustion.
- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Firefighting Instructions : Wear suitable protective equipment. In the event of fire, wear self-contained breathing apparatus. Evacuate personnel to safe areas.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

- Spill Cleanup : Shovel into suitable container for disposal. Dispose of in accordance with local regulations.

**SECTION 7. HANDLING AND STORAGE**

- Storage : Store in a clean, dry place. To maintain product quality, do not store in heat or direct sunlight.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Personal protective equipment


**DuPont™ Tyvek® Fluid Applied Flashing and Joint Compound**

Version 3.0

Revision Date 04/20/2011

Ref. 130000094930

Respiratory protection : Where there is potential for airborne exposures in excess of applicable limits, wear NIOSH approved respiratory protection.

Eye protection : Wear protective eyewear to prevent contact with this substance.

Skin and body protection : Wear protective gloves/clothing to prevent skin contact.

## Exposure Guidelines

## Exposure Limit Values

## Calcium carbonate

PEL: (OSHA) 5 mg/m3 8 hr. TWA Respirable fraction.

PEL: (OSHA) 15 mg/m3 8 hr. TWA Total dust.

## Titanium dioxide

PEL: (OSHA) 15 mg/m3 8 hr. TWA Total dust.

TLV (ACGIH) 10 mg/m3 TWA

AEL \* (DUPONT) 10 mg/m3 8 & 12 hr. TWA Total dust.

AEL \* (DUPONT) 5 mg/m3 8 & 12 hr. TWA Respirable dust.

\* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Form : paste  
 Color : white  
 % Volatile : < 2 %  
 Specific Gravity : 1.0 - 1.8

**SECTION 10. STABILITY AND REACTIVITY**

Stability : Stable under normal conditions.


**DuPont™ Tyvek® Fluid Applied Flashing and Joint Compound**

Version 3.0

Revision Date 04/20/2011

Ref. 130000094930

Conditions to avoid : Temperature > 140 F

Incompatibility : Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous decomposition products : Possible decomposition products in case of hydrolysis are:: Methanol

**SECTION 11. TOXICOLOGICAL INFORMATION**

## DuPont™ Tyvek® Fluid Applied Flashing and Joint Compound

Polyether diol

Further information : No data is available on the product itself.

Dermal LD50 : 20,000 mg/kg , rabbit

Oral LD50 : 3,750 - 40,000 mg/kg , rat

Inhalation LC50 : > 200 mg/l , animals (unspecified species)

Precipitated calcium carbonate

Oral LD50 : 6,450 mg/kg , rat

Carcinogenicity : Due to its physical properties, there is no potential for adverse effects.

Mutagenicity : Due to its physical properties, there is no potential for adverse effects.

Titanium dioxide

Oral LD50 : > 5,000 mg/kg , rat

Inhalation 4 h LC50 : > 6.82 mg/l , rat

Carcinogenicity : Based upon all available study results, DuPont scientists conclude that titanium dioxide will not cause lung cancer or chronic respiratory diseases in humans at concentrations experienced in the workplace.

Mutagenicity : Did not cause genetic damage in animals.  
Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Diamino silane

Dermal LD50 : ca. 16,160 mg/kg , rabbit


**DuPont™ Tyvek® Fluid Applied Flashing and Joint Compound**

Version 3.0

Revision Date 04/20/2011

Ref. 130000094930

Oral LD50	:	2,400 mg/kg , rat
Mutagenicity	:	Did not cause genetic damage in animals. Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
Trimethoxyvinylsilane		
Dermal LD50	:	3,270 mg/kg , rabbit
Oral LD50	:	7,000 mg/kg , rat
Mutagenicity	:	Tests on mammalian cell cultures showed mutagenic effects. Did not show mutagenic effects in animal experiments.

**SECTION 12. ECOLOGICAL INFORMATION**

Aquatic Toxicity		
Polyether diol		
96 h LC50	:	Menidia peninsulae (tidewater silverside) 650 mg/l The substance is a polymer and is not expected to produce toxic effects.
Precipitated calcium carbonate		
96 h LC50	:	Gambusia affinis (Mosquito fish) > 56,000 mg/l
Titanium dioxide		
96 h LC50	:	Pimephales promelas (fathead minnow) > 1,000 mg/l
72 h EC50	:	Pseudokirchneriella subcapitata (green algae) 61 mg/l
48 h EC50	:	Daphnia magna (Water flea) > 1,000 mg/l
Diamino silane		
96 h LC50	:	Oncorhynchus mykiss (rainbow trout) > 100 mg/l
72 h ErC50	:	Pseudokirchneriella subcapitata (green algae) 8.8 mg/l
48 h EC50	:	Daphnia magna (Water flea) 90 mg/l



**DuPont™ Tyvek® Fluid Applied Flashing and Joint Compound**

Version 3.0

Revision Date 04/20/2011

Ref. 130000094930

**SECTION 13. DISPOSAL CONSIDERATIONS**

Waste Disposal : Comply with applicable Federal, State/Provincial and Local Regulations.

**SECTION 14. TRANSPORT INFORMATION**

Not classified as dangerous in the meaning of transport regulations.

**SECTION 15. REGULATORY INFORMATION**

- SARA 313 Regulated Chemical(s) : SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
- California Prop. 65 : Chemicals known to the State of California to cause cancer, birth defects or any other harm: none known
- PA Right to Know Regulated Chemical(s) : Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances): Titanium dioxide , Calcium carbonate
- NJ Right to Know Regulated Chemical(s) : Substances on the New Jersey Workplace Hazardous Substance List present at a concentration of 1% or more (0.1% for substances identified as carcinogens, mutagens or teratogens): Titanium dioxide

**SECTION 16. OTHER INFORMATION**

DuPont™ Tyvek® are trademarks of E. I. du Pont de Nemours and Company  
This safety datasheet only contains information relating to safety and does not replace any product information or product specification.



**DuPont™ Tyvek® Fluid Applied Flashing and Joint Compound**

Version 3.0

Revision Date 04/20/2011

Ref. 130000094930

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.