# DuPont<sup>™</sup> Tyvek<sup>®</sup> 400 SFR

# Secondary flame resistance with the protection, durability and comfort of Tyvek®



\*Patent-pending design

 Lightweight disposable overgarment designed to help protect and preserve primary flame-resistant (FR) garments

• Composed of flash spun high density polyethylene breathable nonwoven Tyvek® fabric that has been flame-retardant treated, available only from DuPont

OUPONTE

Tyvek

- For use over primary flame-resistant protective clothing
- Relaxed fit coverall design features a diamond gusset crotch to allow for unrestricted movement
- Offers an inherent barrier against hazardous and non-hazardous particles, oils and greases
- Features red external stitched seams, red zipper and red chest patch border
- Available in hooded and non-hooded options

Please visit our free online DuPont<sup>™</sup> SafeSPEC<sup>™</sup> selector tool to help you determine the most appropriate protection based on your hazard risk assessment.

#### safespec.dupont.com









**Dirty jobs** 







Reference: ST127S Color: White MD-7X

Oil & gas General

manufacturing

Maintenance

Environmental services

Utilities

Size:



Part number	Garment style	Seam construction	Color	Sizes
ST120SWHXX002500	Coverall with open wrists and ankles	Serged (external), red	White	MD-6X
ST127SWHXX002500	Hooded coverall with elastic wrists and ankles	Serged (external), red	White	MD-7X



### SafeSPEC<sup>™</sup>—we're here to help

Our powerful web-based tool can assist you with finding the appropriate DuPont garments for chemical, controlled environment, thermal and mechanical hazards.

#### safespec.dupont.com



## **Certified Industrial Hygienist team**

A DuPont Certified Industrial Hygienist can conduct a job hazard assessment to help you determine the best DuPont garment for a specific hazard.

**NOTE:** Tyvek\* 400 SFR garments provide only secondary flame-resistant protection. They must always be worn over appropriate primary flame-resistant protective clothing in an environment that needs flame protection, along with other personal protective equipment that protects your face, hands, and feet. For Tyvek\* 400 SFR hooded garments, a primary flame-resistant hood/balaclava should be worn.



DuPont Personal Protection Customer service 1 800 931 3456 personalprotection.dupont.com



This information is based upon technical data that DuPont believes to be reliable. It is subject to revision as additional knowledge and experience become available. It is the user's responsibility to determine the level of toxicity and the proper personal protective equipment needed. The information set forth herein reflects laboratory performance of fabrics, not complete garments, under controlled conditions. This information is intended for use by persons having the technical expertise to undertake evaluation under their own specific end-use conditions, at their own discretion and risk. Anyone intending to use this information should first check that the garment selected is suitable for the intended use. The end-user should discontinue use of garment if fabric becomes torn, worn or punctured, to avoid potential chemical exposure. Since conditions of use are beyond our control, DUPONT MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND ASSUME NO LIABILITY IN CONNECTION WITH ANY USE OF THIS INFORMATION. This information is not intended as a license to operate under or a recommendation to infringe any trademark, patent or technical information of DuPont or other persons covering any material or its use.

© 2024 DuPont. All rights reserved. DuPont", the DuPont Oval Logo, and all trademarks and service marks denoted with M, SM or \* are owned by affiliates of DuPont de Nemours, Inc. unless otherwise noted. DSF24\_2401-0394-3-13983 (03/24)