



DISTILLASE® SSF

Saccharifying System For Dry Grind Ethanol Production

DESCRIPTION

DISTILLASE® SSF is a system of enzymes designed to produce glucose from liquefied corn or milo mash during simultaneous saccharification and fermentation (SSF) to ethanol. It contains: amylase (1,4- α -D-glucan glucohydrolase - EC 3.2.1.1), glucoamylase (1,4- α -D-glucan hydrolyase E.C. 3.2.1.3) and Aspergillopepsin 1 (EC 3.4.23.18).

The enzymes contained in DISTILLASE® SSF are produced by genetically modified strains of *Trichoderma reesei*.

TYPICAL CHARACTERISTICS

Activity: 380 GAU/g (minimum)

Appearance: Brown liquid

pH: 4.0 - 4.5

Specific gravity: 1.10 - 1.14 g/ml

UNIT DEFINITION

One Glucoamylase Unit (GAU) is the amount of enzyme that will liberate one gram of reducing sugars calculated as glucose per hour from soluble starch substrate under the conditions of the assay. A detailed assay method is available upon request.

PERFORMANCE BENEFITS

The DISTILLASE® SSF systems' unique composition improves fermentation yield and consistency. It does so by minimizing the fraction of starch that remains unfermented and enhancing yeast nutrition.

The glucoamylase in DISTILLASE® SSF system rapidly converts the dextrans to glucose across a broad range of starting pH (4.0 to 5.8). This results in 5 - 10% faster initial ethanol production.

The acid stable saccharifying amylase in the DISTILLASE® SSF effectively hydrolyzes starch that would not otherwise be converted to glucose during fermentation.

The protease in the DISTILLASE® SSF system hydrolyzes protein matrices in the corn kernel that bind the various fractions enabling the hydrolysis of "hard" to hydrolyze starch. It also increases the levels of essential yeast nutrients in the form of amino acids, peptides and free amino nitrogen.

APPLICATION RECOMMENDATIONS

DISTILLASE® SSF is used to saccharify liquefied mashes of whole ground corn and milo. The resultant glucose is fermented by yeast to produce ethanol. All of the enzymes in DISTILLASE® SSF perform well within the temperature and pH ranges typical in whole ground corn and milo batch fermentations: 28 to 35°C (82 to 95°F) and 4.0 to 5.5 respectively. In high gravity (>34% solids) and/or milo fermentations performance can be further enhanced by the addition of FERMGEN® acid fungal protease.

DOSAGE RECOMMENDATIONS

DISTILLASE® SSF should be dosed at 0.06 to 0.08% weight enzyme / weight as is corn. The actual dose required will depend upon the conditions of your fermentation: time, initial pH and the level of solids.

REGULATORY STATUS

DISTILLASE® SSF complies with current FAO/WHO and FCC recommended specifications for food-grade enzymes and is GRAS (Generally Recognized As Safe) in the United States for use in alcohol production.

The enzyme ingredients in DISTILLASE® SSF are in compliance with the Toxic Substances Control Act in the United States and Domestic Substances List in Canada.

PACKAGING

DISTILLASE® SSF is available in various package sizes and bulk tankers. Please consult your DuPont representative for detailed information.

STORAGE

DISTILLASE® SSF will meet the declared activity upon arrival at your plant. DISTILLASE® SSF can be safely stored in sealed containers. Enzymes should be stored below 25°C (77°F) and sheltered from direct sunlight for maximum stability.

SAFETY & ENZYME HANDLING

Inhalation of enzyme dust and mists should be avoided. In case of contact with the skin or eyes, promptly rinse with water for at least 15 minutes.

For detailed handling information, please refer to the appropriate Material Safety Data Sheet, the Enzyme Technical Association (ETA) handbook *Working Safely With Enzymes*, and the Association of Manufacturers and Formulators of Enzyme Products (AMFEP) handbook *Guide to the Safe Handling of Microbial Enzyme Preparations*. All are available from DuPont.

TECHNICAL SERVICE

DuPont is committed to working with ethanol producers to achieve their goals. More detailed information about the application of this product is available upon request. If you have any questions, please call us and let us know how we can be of assistance.

CONTACT INFORMATION

NORTH AMERICA

Rochester, New York (USA)

☎ +1 800 847 5311

☎ +1 585 256 5295

EUROPE, MIDDLE EAST & AFRICA

Leiden, The Netherlands

☎ +31 71 5686 168

☎ +31 71 5686 169

LATIN AMERICA

Buenos Aires, Argentina

☎ +54 11 4875 9500

☎ +54 11 4875 9529

SÃO PAULO, BRAZIL

☎ +55 11 4613 3800

☎ +55 11 4612 1101

ASIA/PACIFIC

Singapore

☎ +65 6511 5600

☎ +65 6511 5666

Shanghai, P.R. China

☎ +86 21 2307 9588

☎ +86 21 2307 9599

Mumbai, India

☎ +91 22 3008 7131

☎ +91 22 3008 7150

Lahore, Pakistan

☎ +92 300 8476 404

☎ +92 423 5437 866

www.dupont.com

Copyright © 2012 DuPont. All rights reserved. The DuPont Oval Logo, DuPont, the Leaf Globe, and DISTILLASE and FERMGEN are trademarks or registered trademarks of E. I. du Pont de Nemours and Company or its affiliates.

USE AND/OR SALE OF THIS PRODUCT MAY BE COVERED BY ONE OR MORE PATENTS IN THE U.S. AND OTHER COUNTRIES, AS WELL AS PENDING PATENT APPLICATIONS IN THE U.S. AND OTHER COUNTRIES.

The information contained in this product literature is, to the best of our knowledge, true and accurate and the product as sold is in conformance with the specifications set forth herein as determined by the assay methods described herein. Due to conditions of use, technical errors or omissions, improper handling or storage beyond our control, Danisco US Inc. hereby DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Danisco US Inc. shall not be liable for any incidental, consequential, or special damages resulting in any way from the furnishing, performance, or use of this product literature or the product described herein.

Nothing contained herein shall be construed as a representation by Danisco US Inc. that the use or resale of the product or processes described herein will not violate any rules or regulations of any countries, regions, localities, etc. or infringe upon patents or other intellectual property rights of third parties or that the recommendations and usage suggestions described constitute any authorization or inducement to infringe any such rights.

This document is subject to change without further notice.

