


Effects of Sterilization and 1- and 3-Year Real-Time Aging on Material Tensile Strength (MD) for 1059B



- Transition Protocol Material 3-Year Real-Time Aging
- Control 3-Year Real-Time Aging

- ▲ Transition Protocol Material 1-Year Real-Time Aging
- ▲ Control 1-Year Real-Time Aging

- Transition Protocol Material 0-Year
- Control 0-Year


ASTM D5034
 Control = DuPont™ Tyvek® 1059B
 Center point = 0 lb_f/4 in.
 Outer point = 150 lb_f/4 in.
 MD = Machine Direction

Transition Protocol material performance is equivalent to, or better than, current Tyvek®.

Effects of Sterilization and 1- and 3-Year Real-Time Aging on Material Tensile Strength (CD) for 1059B



Tyvek.



- Transition Protocol Material 3-Year Real-Time Aging
- Control 3-Year Real-Time Aging
- ▲ Transition Protocol Material 1-Year Real-Time Aging
- ▲ Control 1-Year Real-Time Aging
- Transition Protocol Material 0-Year
- Control 0-Year


ASTM D5034
 Control = DuPont™ Tyvek® 1059B
 Center point = 0 lb_f/4 in.
 Outer point = 150 lb_f/4 in.
 CD = Cross Direction

Transition Protocol material performance is equivalent to, or better than, current Tyvek®.

Effects of Sterilization and 1- and 3-Year Real-Time Aging on Material Elongation (MD) for 1059B




Tyvek.



Effects of Sterilization and 1- and 3-Year Real-Time Aging on Material Elongation (CD) for 1059B




Tyvek.




Effects of Sterilization and 1- and 3-Year Real-Time Aging on Material Puncture Strength for 1059B



Tyvek.





Transition Protocol Material
5-Year Real-Time Aging

Control
5-Year Real-Time Aging

Transition Protocol Material
3-Year Real-Time Aging

Control
3-Year Real-Time Aging

Transition Protocol Material
1-Year Real-Time Aging

Control
1-Year Real-Time Aging

Transition Protocol Material
0-Year

Control
0-Year

Test
Control =
Center point =
Outer point =

Transition Protocol material performance is equivalent to, or better than, current Tyvek®.