


Effects of Sterilization and 1- and 3-Year Real-Time Aging on Material Tensile Strength (MD) for 1073B



- Transition Protocol Material 3-Year Real-Time Aging
- Control 3-Year Real-Time Aging
- ▲ Transition Protocol Material 1-Year Real-Time Aging
- ▲ Control 1-Year Real-Time Aging
- Transition Protocol Material 0-Year
- Control 0-Year


ASTM D5034
 Control = DuPont™ Tyvek® 1073B
 Center point = 0 lb_f/4 in.
 Outer point = 150 lb_f/4 in.
 MD = Machine Direction

Transition Protocol material performance is equivalent to, or better than, current Tyvek®.

Effects of Sterilization and 1- and 3-Year Real-Time Aging on Material Tensile Strength (CD) for 1073B




Tyvek.



Effects of Sterilization and 1- and 3-Year Real-Time Aging on Material Elongation (MD) for 1073B



Tyvek.



- Transition Protocol Material 3-Year Real-Time Aging
- Control 3-Year Real-Time Aging
- ▲ Transition Protocol Material 1-Year Real-Time Aging
- ▲ Control 1-Year Real-Time Aging
- Transition Protocol Material 0-Year
- Control 0-Year


ASTM D5034
 Control = DuPont™ Tyvek® 1073B
 Center point = 0%
 Outer point = 30%
 MD = Machine Direction

Transition Protocol material performance is equivalent to, or better than, current Tyvek®.

Effects of Sterilization and 1- and 3-Year Real-Time Aging on Material Elongation (CD) for 1073B



Tyvek.





Transition Protocol material performance is equivalent to, or better than, current Tyvek®.

Effects of Sterilization and 1- and 3-Year Real-Time Aging on Material Puncture Strength for 1073B



Tyvek.





◆ Transition Protocol Material
5-Year Real-Time Aging

◆ Control
5-Year Real-Time Aging

● Transition Protocol Material
3-Year Real-Time Aging

● Control
3-Year Real-Time Aging

▲ Transition Protocol Material
1-Year Real-Time Aging

▲ Control
1-Year Real-Time Aging

■ Transition Protocol Material
0-Year

■ Control
0-Year

Test
Control =
Center point =
Outer point =

Transition Protocol material performance is equivalent to, or better than, current Tyvek®.