


# Effects of Sterilization and 1- and 3-Year Real-Time Aging on Material Tensile Strength (MD) for 1073B



- Transition Protocol Material 3-Year Real-Time Aging
- Control 3-Year Real-Time Aging

---

- ▲ Transition Protocol Material 1-Year Real-Time Aging
- ▲ Control 1-Year Real-Time Aging

---

- Transition Protocol Material 0-Year
- Control 0-Year


ASTM D5034  
 Control = DuPont™ Tyvek® 1073B  
 Center point = 0 lb<sub>f</sub>/4 in.  
 Outer point = 150 lb<sub>f</sub>/4 in.  
 MD = Machine Direction

**Transition Protocol material performance is equivalent to, or better than, current Tyvek®.**

# Effects of Sterilization and 1- and 3-Year Real-Time Aging on Material Tensile Strength (CD) for 1073B




Tyvek.



# Effects of Sterilization and 1- and 3-Year Real-Time Aging on Material Elongation (MD) for 1073B



Tyvek.



- Transition Protocol Material 3-Year Real-Time Aging
- Control 3-Year Real-Time Aging

---

- ▲ Transition Protocol Material 1-Year Real-Time Aging
- ▲ Control 1-Year Real-Time Aging

---

- Transition Protocol Material 0-Year
- Control 0-Year


ASTM D5034  
 Control = DuPont™ Tyvek® 1073B  
 Center point = 0%  
 Outer point = 30%  
 MD = Machine Direction

**Transition Protocol material performance is equivalent to, or better than, current Tyvek®.**

# Effects of Sterilization and 1- and 3-Year Real-Time Aging on Material Elongation (CD) for 1073B



Tyvek.





**Transition Protocol material performance is equivalent to, or better than, current Tyvek®.**

# Effects of Sterilization and 1- and 3-Year Real-Time Aging on Material Puncture Strength for 1073B



Tyvek.





- ◆ Transition Protocol Material 5-Year Real-Time Aging
- ◆ Control 5-Year Real-Time Aging

---

- Transition Protocol Material 3-Year Real-Time Aging
- Control 3-Year Real-Time Aging

---

- ▲ Transition Protocol Material 1-Year Real-Time Aging
- ▲ Control 1-Year Real-Time Aging

---

- Transition Protocol Material 0-Year
- Control 0-Year

Test  
 Control =  
 Center point =  
 Outer point =

**Transition Protocol material performance is equivalent to, or better than, current Tyvek<sup>®</sup>.**