

**SPECIAL LOCAL NEED  
24(C)LABELING**

**DuPont Crop  
Protection**

**DUPONT™ EXPRESS® HERBICIDE  
(with TotalSol™ Soluble Granules)  
FOR BUNCHBERRY CONTROL IN  
LOWBUSH BLUEBERRY  
IN THE STATE OF MAINE**

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF MAINE

**DUPONT™ EXPRESS® HERBICIDE  
with TotalSol™ (soluble granules)**

EPA Reg. No. 352-632  
SLN No. ME-100002

**FOR BUNCHBERRY CONTROL IN LOWBUSH BLUEBERRY ONLY IN  
THE STATE OF MAINE**

This label is valid until December 31, 2018 or until otherwise revised, amended, cancelled or suspended.

**GENERAL INFORMATION**

DuPont™ EXPRESS® Herbicide (with TotalSol™ soluble granules) (EXPRESS®) is recommended for selective postemergence control/suppression of certain broadleaf weeds in lowbush blueberry (or also known as, wild blueberry).

EXPRESS® may be used on lowbush blueberry providing user accepts all risk of possible crop injury.

**USE RATES AND APPLICATION TIMING**

Apply EXPRESS® at 0.8 to 1.0 ounce per acre in the fall after blueberry harvest, until a killing frost occurs, after which bunchberry control will not occur.

EXPRESS® applied earlier in the fall will result in increased blueberry cover and increased bunchberry control in the following year. The degree and duration of effect are dependent upon the rate used, sensitivity and size of the target weeds, and environmental conditions at the time and following application.

**WEEDS CONTROLLED**

The following weeds are controlled in addition to the weeds listed on the EPA registered package label.

Bunchberry

**Surfactant**

Always use a nonionic surfactant of at least 80% active ingredient at the rate of 0.25% volume/volume (1 quart per 100 gallon of spray solution).

**Precautions/Restrictions**

The use of methylated seed oil (MSO) or crop oil is not recommended with EXPRESS® on lowbush blueberry as these adjuvants may produce unsatisfactory crop injury.

Do not apply more than 1.0 ounce of EXPRESS® per acre per growing season.

Do not graze or cut for hay, or feed associated by-products to livestock, after application.

Do not apply within 365 days of blueberry harvest.

Do not apply EXPRESS® in a tank mix with organophosphate insecticides as severe crop injury may occur.

Do not apply to lowbush blueberry that is under stress from severe weather conditions, drought, low fertility, water saturated soil, disease or insect damage, as crop injury may result. Under certain conditions such as prolonged cool weather (daily high temperature less than 50° F) or wide fluctuations in day/night temperatures just prior to or soon after treatment, temporary yellowing and/or crop stunting may occur.

For product information call 1-888-6-DUPONT

© 2013 E. I. du Pont de Nemours and Company, Crop Protection, Wilmington, Delaware 19898

**IMPORTANT  
BEFORE USING EXPRESS®, READ AND  
FOLLOW ALL APPLICABLE DIRECTIONS,  
RESTRICTIONS AND PRECAUTIONS ON THE  
EPA-REGISTERED LABEL.**

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the Section 3 Federal product label.

(Replaces: R-807 072408 09-15-08)