

2(ee) Recommendation

Use information in accordance with Section 2(ee) of FIFRA



DUPONT™ EXIREL® INSECT CONTROL

EPA Reg. No. 352-859

FOR CONTROL OF CABBAGE SEEDPOD WEEVIL IN BRASSICA (COLE) LEAFY VEGETABLES IN THE STATES OF OREGON AND WASHINGTON

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by EPA.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. For any requirements specific to your State or Tribe; consult the agency responsible for pesticide regulation. Do not apply this product in any way that will contact workers or other persons; either directly or through drift. Only protected handlers may be in the area during application.

DuPont™ EXIREL® insect control must be used only in accordance with directions on this bulletin or in separately published DuPont labeling.

DuPont™ EXIREL® Insect Control is recommended for the control of Cabbage Seedpod Weevil (*Ceutorhynchus obstrictus*) in brassica (cole) leafy vegetables (EPA crop group 5).

Apply EXIREL® at 13.5 to 20.5 fluid ounces per acre at first sign of adult weevil activity starting at the bud stage to early bloom. Monitor fields and make a second application if weevil adults continue to reach treatment threshold 7 to 10 days after the Exirel® application. Thorough coverage of the target area is essential for best results.

Read and follow the protection of pollinators section of the federal label when using during bloom.

DuPont will not be responsible for losses or damages resulting from the use of this product in any manner not specifically instructed by DuPont. User assumes all risks associated with uses not specified by the label or DuPont 2(ee) instructions.

RESTRICTIONS

Do not apply more than 0.4 lbs ai/A of CYAZYPYR® or cyantraniliprole containing products per year.

The minimum retreatment interval for Brassica vegetables (EPA crop group 5) is 5 days.

The pre-harvest interval for Brassica vegetables (EPA crop group 5) is 1 day.

The field re-entry interval for Brassica vegetables (EPA crop group 5) is 12 hours.

IMPORTANT NOTICE

BEFORE BUYING OR USING DUPONT PRODUCT(S) COVERED BY THIS BULLETIN, READ THIS BULLETIN, AND THE LABELS FOR ALL PRODUCTS REFERENCED IN THIS BULLETIN, IN THEIR ENTIRETY. FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS.

It is a violation of federal law to use this or any other pesticide product in a manner inconsistent with its labeling. This bulletin contains supplemental instructions for use of the referenced DuPont product. Follow these instructions carefully. This bulletin should be in the possession of the user at the time of application.

Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the Section 3 Federal product label.

Copies of DuPont product labels are available by calling 1-888-6-DUPONT
or at <http://cropprotection.dupont.com/>

© 2016 E.I. du Pont de Nemours and Company, Chestnut Run Plaza, 974 Centre Rd., Wilmington, DE 19805 U.S.A