

2(ee) Recommendation

Use information in accordance with Section 2(ee) of FIFRA



DUPONT™ AVAUNT® INSECTICIDE

EPA Reg. No. 352-597

FOR CONTROL OR SUPPRESSION OF OMNIVOROUS LEAFROLLER IN GRAPES IN THE STATES OF CALIFORNIA, OREGON, AND WASHINGTON

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by EPA.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Always read this FIFRA 2(ee) bulletin and the entire label on the product container before using this product. For any requirements specific to your State or Tribe; consult the agency responsible for pesticide regulation. Do not apply this product in any way that will contact workers or other persons; either directly or through drift. Only protected handlers may be in the area during application.

DuPont™ AVAUNT® insecticide is recommended for the control or suppression of Omnivorous Leafroller in Grapes.

Apply AVAUNT® at 5.0 to 6.0 ounces per acre (0.09 - 0.11 lb a.i./acre) as a foliar spray using properly calibrated ground spray equipment for Control of Omnivorous Leafroller. Apply AVAUNT® at 3.5 to 5.0 oz per acre (0.065 - 0.09 lb a.i./acre) for suppression of Omnivorous Leafroller in Grapes.

Make the first application at initiation of egg hatch, small larvae or at first signs of infestation for each generation. Use the higher application rate for moderate to heavy insect pressure. Make application before pests reach damaging levels. Monitor fields and make an additional application if populations rebuild to potentially damaging levels. Apply in sufficient water to obtain thorough and uniform cover of foliage. Consult your state cooperative extension service, professional consultants or other qualified authorities to determine appropriate action threshold levels for this pest.

DuPont will not be responsible for losses or damages resulting from the use of this product in any manner not specifically instructed by DuPont. User assumes all risks associated with uses not specified by the label or DuPont 2(ee) instructions.

PRECAUTIONS

Make no more than 2 applications per season.

Do Not apply more than 12 oz AVAUNT® (0.22 lbs a.i.) per acre per crop.

Minimum interval between sprays is 21 days.

Preharvest interval (PHI): Do not apply within 7 days of harvest.

The field re-entry interval (REI) is 12 hours.

IMPORTANT NOTICE

BEFORE BUYING OR USING DUPONT PRODUCT(S) COVERED BY THIS BULLETIN, READ THIS BULLETIN, AND THE LABELS FOR ALL PRODUCTS REFERENCED IN THIS BULLETIN, IN THEIR ENTIRETY. FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS.

It is a violation of federal law to use this or any other pesticide product in a manner inconsistent with its labeling. This bulletin contains supplemental instructions for use of the referenced DuPont product. Follow these instructions carefully. This bulletin should be in the possession of the user at the time of application.

Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the Section 3 Federal product label.

Copies of DuPont product labels are available by calling 1-888-6-DUPONT
or at <http://cropprotection.dupont.com/>

© 2017 E.I. du Pont de Nemours and Company, Chestnut Run Plaza, 974 Centre Rd., Wilmington, DE 19805 U.S.A