

## 2(ee) Recommendation

Use information in accordance with Section 2(ee) of FIFRA



### DUPONT™ CORAGEN® INSECT CONTROL

EPA Reg. No. 352-729

### FOR FOLIAR CONTROL OF SUNFLOWER MOTH LARVAE AND BANDED SUNFLOWER MOTH LARVAE IN SUNFLOWER IN THE STATE OF CALIFORNIA

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by EPA.

#### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Always read this FIFRA 2(ee) bulletin and the entire label on the product container before using this product. For any requirements specific to your State or Tribe; consult the agency responsible for pesticide regulation. Do not apply this product in any way that will contact workers or other persons; either directly or through drift. Only protected handlers may be in the area during application.

DuPont™ CORAGEN® insect control is recommended for the control of sunflower moth larvae, *Homoeosoma electellum* (a.k.a sunflower head moth), and banded sunflower moth larvae, *Cochylis hospes*, in sunflower. Apply CORAGEN® at 3.5 - 5.0 fluid ounces per acre (0.045-0.065 lb ai/acre) as a foliar spray.

If adjuvants are used, use only a non-ionic surfactant (NIS). An NIS may be added for improved coverage.

For best results apply when moth populations reach local established treatment thresholds and as blooms begin to open (sunflower growth stage R-5.0 to R-5.1) to prevent crop damage. Applications may be required at 5-7 day intervals when moth pressure is heavy.

DuPont will not be responsible for losses or damages resulting from the use of this product in any manner not specifically instructed by DuPont. User assumes all risks associated with uses not specified by label or DuPont 2(ee) instructions.

#### PRECAUTIONS

Do not apply more than 15.4 fluid ounces of CORAGEN® per acre per year.

Do not make more than 4 applications per acre per crop

Minimum interval between treatments is 5 days and preharvest interval is 21 days.

The field re-entry interval is 4 hours.

Read and follow all applicable directions, restrictions and precautions.

(Replaces R-1462 021914-2 02-24-14)

#### IMPORTANT NOTICE

**BEFORE BUYING OR USING DUPONT PRODUCT(S) COVERED BY THIS BULLETIN, READ THIS BULLETIN, AND THE LABELS FOR ALL PRODUCTS REFERENCED IN THIS BULLETIN, IN THEIR ENTIRETY. FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS.**

It is a violation of federal law to use this or any other pesticide product in a manner inconsistent with its labeling. This bulletin contains supplemental instructions for use of the referenced DuPont product. Follow these instructions carefully. This bulletin should be in the possession of the user at the time of application.

**Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the Section 3 Federal product label.**

Copies of DuPont product labels are available by calling 1-888-6-DUPONT  
or at <http://cropprotection.dupont.com/>

© 2017 E.I. du Pont de Nemours and Company, Chestnut Run Plaza, 974 Centre Rd., Wilmington, DE 19805 U.S.A