



Effective: March 11, 2013
Supersedes: February 17, 2010

AMBERLITE™ XAD761 Adsorbent Resin

Specification: 209023

This letter is in response to your inquiry concerning the status of the product **AMBERLITE™ XAD761 Adsorbent Resin** with regard to the US Food Contact Material Regulations.

AMBERLITE™ XAD761 Adsorbent Resin can be described as a crosslinked phenol-formaldehyde polycondensate.

Regulation	Complies	Opinion Date	Limitations
21CFR173.25	N	12/01/2005	
21CFR175.300	Y	12/01/2005	
21CFR177.2260	L	12/01/2005	▪ MAY BE USED AS A COMPONENT OF RESIN-BONDED FILTERS AS PRODUCT COMPLIES WITH 21CFR177.2260(D)(3).
27CFR24.248	L	12/01/2005	▪ ANION, CATION, NON-IONIC RESINS, EXCEPT THOSE ANIONIC RESINS IN THE MINERAL ACID STATE, MAY BE USED IN BATCH OR CONTINUOUS COLUMN PROCESSES AS TOTAL OR PARTIAL TREATMENT OF WINE, PROVIDED THAT WITH REGARD TO JUICE OR FINISHED WINE; (1) SUCH TREATMENT DOES NOT ALTER THE FRUIT CHARACTER OF THE JUICE OR WINE. (2) THE TREATMENT DOES NOT REDUCE THE COLOR OF THE JUICE OR WINE TO LESS THAN THAT NORMALLY CONTAINED IN SUCH JUICE OR WINE. (3) TREATMENT DOES NOT INCREASE INORGANIC ANIONS IN THE JUICE OR WINE BY MORE THAN 10 MG/L. (4) THE TREATMENT DOES NOT REDUCE THE METALLIC CATION CONCENTRATION IN THEJUICE OR WINE TO LESS THAN 300 MG/L. (5) THE TREATMENT DOES NOT REDUCE NATURAL OR FIXED ACID IN GRAPE WINE

Legend:

- L Yes, this product is cleared with limitations noted
- N No, this product is not cleared
- Y Yes, this product is cleared.


Regulations:

- 21CFR173.25 Ion-exchange resins
- 21CFR175.300 Resinous and polymeric coatings
- 21CFR177.2260 Filters, resin-bonded
- 27CFR24.248 Processes authorized for the treatment of wine, juice, and distilling material

The above information relates specifically to the product reviewed. We recommend that customers make their own determination of resin suitability for their particular intended use(s). We believe this information to be reliable as of the date of this letter.

If you have any additional questions, please feel free to contact us.

Sincerely,



Wendy W. Bingaman
EH&S Global Product Leader
Dow Water and Process Solutions
The Dow Chemical Company
Phone: (215) 619-5531
email: wbingaman@dow.com

This information is considered accurate and reliable as of the date appearing above and is presented in good faith. Because use conditions and applicable laws may differ from one location to another and may change with time, Recipient is responsible for determining whether the information in this document is appropriate for recipient's use. Since Dow has no control over how this information may be ultimately used, all liability is expressly disclaimed and Dow assumes no obligation or liability therefore. No warranty, express or implied, is given nor is freedom from any patent owned by Dow or others to be inferred.