OUPONT: Artistri.

The Color of What's Next

Performance | Quality | Sustainability



With a 35+ year history in technology, innovation, and continuous investments in research and development, DuPont™ Artistri® brings a diverse portfolio of products and expertise to the digital printing industry.

From the brightest and richest colors to custom formulations, Artistri® provides color consistency across production runs over time, and offers a range of inks and viscosities to work with almost any printer.

Whether it's direct-to-garment, direct-to-film or roll-to-roll, indoor or outdoor applications, or making an unforgettable fashion statement, bring your colors to life with Artistri®.

COLOR YOU CAN COUNT ON

No matter the timing or volume of production cycles, Artistri® inks are engineered to deliver batch-to-batch color consistency for reliable repeatability every time.

THE BRIGHTEST & THE BOLDEST

Artistri® inks combine $DuPont^{TM}$ proprietary dispersions and polymers with formulation technology, providing incredibly vibrant colors and best-in-class black and white inks.

BRILLIANT COLOR THAT LASTS

With a colorfastness as impressive as the colors themselves, Artistri[®] inks are designed to be UV and weather resistant, making them beautiful inside and out.

PRINTHEAD-COMPATIBLE PORTFOLIO

The Artistri[®] inks portfolio ranges from low to high viscosity, making it easy for printers to experience the brilliant colors of Artistri[®], regardless of which printhead they use.

CONSTANT INNOVATION

Artistri® provides the most innovative digital inks to advanced textile printing–providing brilliant colors, incredible fastness, and unparalleled print reliability, delivering superior results every time.

DESIGNED FOR PRODUCTIVITY

Quick start up, less cleanings, longer Printhead life equal more output per hour.

APPAREL ACCESSORIES OUTDOOR IN HOME T-SHIRTS

Brighter Made Easier

Product	Low Viscosity	Medium Viscosity	High Viscosity
Artistri® DTG Pigment Ink	_		
For direct-to-garment digital printing Applications: Apparel, Home Furnishings	•	•	•
Artistri® DTF Pigment Ink			
For direct-to-film digital printing	•		
Applications: Apparel			
Artistri® RTR Pigment Ink			
For digital printing on cotton or cotton rich blends	•	•	•
Applications: Apparel, Home Furnishings			
Artistri® Dye Sublimation Ink			
For digital printing on polyester		•	
Applications: Apparel, Flags and Banners, Home Furnishings			
Artistri® SolarBrite™ Ink			
For digital printing on UV-resistant fabrics		•	
Applications: Flags, Decorative Banners and other Outdoor Fabric			
Artistri® Pre-treatment			
For direct-to-garment digital printing	•	•	•
Applications: Apparel, Home Furnishings			



Artistri[®] Inks for Direct-to-Garment (DTG)

Water-based Pigment Inks for Inkjet Digital Printing

DuPont[™] Artistri[®] DTG series is a premium pigment textile ink specially developed for DTG digital printing on cotton or cotton rich blends for a wide variety of apparel and specialty applications.

The brilliant aqueous-based ink sets are designed to work in printers, on different viscosity piezo-electric printheads and are suitable for high quality sampling, strike offs, and production printing.

Applications

DuPont[™] Artistri® DTG pigment ink series is formulated with proprietary DuPont[™] technology and is compatible with industry standard drying technologies. DuPont[™] Artistri® pigment ink yields excellent color and fastness.

Contact $DuPont^{\mathsf{TM}}$ Technical Support for process recommendations.

		scosity ks	Mid Viscosity Inks	High Viscosity Inks				
Product	P5000	P5500	P7000	P3500	P6000			
Available Colors	• • •	• • •	• • •	• • • •				
Compatible Printhead	Epson Epson F1440, F1440, i3200, DX4, i3200, DX4, DX5, DX7 DX5, DX7		Kyocera KJ4B 600 dpi / 300dpi, Ricoh Gen 5MF, GH2220	Dimatix StarFire SG1024, Ricoh Gen 4, 4L, 5E, GH2220, TH5241, Xaar Nitrox GS6, GS12	Dimatix StarFire SG1024, Ricoh Gen 4, 4L, 5E,5F, 6			
Pretreatments	P5001, P50	003, P5010	P5003, P5010	P5001, P5003	, P5010			

- · Brilliant colors with wide color gamut
- High durability, great wash fastness
- Bright white ink: less ink needed for great coverage
- High stretchability
- Jetting consistency and reliability



Artistri® Direct-to-Film (DTF) Solution

Water-based Pigment Inks and Transfer Film for Inkjet Digital Printing

DuPont™ Artistri® brings you a high-performance Direct-to-Film (DTF) solution, combining premium Artistri® P1600 pigment inks and Artistri® DTF-120 transfer film to deliver vibrant, high-quality prints with superior durability. Designed for cotton, polyester, blends, and specialty applications, this complete solution enhances color performance, reliability, and production efficiency.

The Power of a Seamless DTF Solution

The synergy between Artistri® P1600 inks and DTF-120 film ensures consistent, professional-quality prints with minimal maintenance and fast processing. While DTF-120 film is optimized for Artistri® P1600 inks, it is also compatible with other inks, though performance may vary.

Artistri® P1600 Pigment Inks

Brilliance & Reliability

Premium pigment inks designed for DTF printing with exceptional color vibrancy, opacity, and durability.


- Superior Color Strength Achieve bold, vivid prints with less ink usage
- Expansive Gamut & Deep Blacks Delivers rich color saturation and striking contrast
- Bright White Ink Requires less ink to achieve high L* for brilliant results
- Optimized Jetting Reliability Faster start-up, low maintenance, and high productivity
- Safe & Sustainable No ethylene glycol, HAPS-free, and nonhazardous under GHS

Artistri® DTF-120 Transfer Film

Versatile & Consistent

Premium transfer film engineered for smooth ink laydown, optimal adhesion, and superior transfer quality.

- Hot & Cold Peel Options Choose the best workflow for your needs
- Efficient Processing Optimized curing time and powder adhesion
- Consistently High-Quality
 Prints Reliable performance for professional results
- Dry Touch Finish Enhances the final product's feel
- Wide Compatibility Works best with Artistri® P1600 inks, compatible with other inks (results may vary)



Artistri[®] Inks for Direct-to-Film (DTF)

Water-based Pigment Inks for Inkjet Digital Printing

DuPont[™] Artistri® P1600 is a premium pigment textile ink specially developed for DTF digital printing on cotton, polyester or blends for a wide variety of apparel and specialty applications.

The brilliant aqueous-based ink is designed to work in printers with low-viscosity piezo-electric printheads and is suitable for high quality sampling, strike offs, and production printing.


Applications

DuPont™ Artistri® P1600 pigment ink is formulated with proprietary DuPont™ technology and is compatible with industry standard drying technologies. DuPont™ Artistri® P1600 pigment ink yields excellent color and fastness and are specifically formulated for DTF printing processes. Contact DuPont™ Technical Support for process recommendations.

	Low Viscosity Inks
Product	P1600
Available Colors	••••
Compatible Printhead	Epson i3200, DX4, DX5, DX7, F1440

- High color strength which produces more vibrant printed images with less ink
- Formulated to yield a large gamut volume, white opacity, and deep blacks over a wide range of commercially available films and powders (profiles generated using Inedit Neostampa Delta)
- Formulated to for high jetting reliability that translates into higher productivity:
- Quick morning start-up process
- Low maintenance frequency

- Bright white ink: less ink needed to achieve high L*
- Not classified as hazardous under GHS
- ** Always refer to the current country SDS for this product for safe use and handling.
- Inks do not contain ethylene glycol
- Hazardous Air Pollutants (HAPS) free



Artistri® Transfer Film for Direct-to-Film (DTF)

Premium Transfer Film for Inkjet Digital Printing


DuPont™ Artistri® DTF-120 transfer film is specially developed for direct-to-film digital printing, ensuring seamless ink laydown, efficient powder adhesion, and high-quality transfers across cotton, polyester, blends, and more.

Applications

DuPont[™] Artistri® DTF-120 film yields large color gamut with high L*. Designed to work best with Artistri® P1600 inks, it also supports other inks with varying results. Contact DuPont[™] Technical Support for process recommendations.

	Film	
Product	DTF-120 Film	
Size Available	600mm x 100m (24" x 328')	
Transfer Conditions	302°F (150°C)	
Dwell Time	6 seconds	
Peel Method	Hot or Cold	
Peel Method	Hot or Cold	

- Hot & Cold Peel Options Flexible workflow with immediate or delayed peeling
- Efficient Process Streamlined ink laydown, optimized curing time, and smooth powder adhesion
- Consistently High-Quality Prints Delivers sharp, vibrant, and durable results
- Dry Touch Finish Enhances the final print's feel for a premium look
- Wide Compatibility Works best with Artistri® P1600 inks, but can be used with other inks



Artistri® Inks for Fashion

Water-based Pigment Inks for Inkjet Digital Printing

DuPont™ Artistri® Pigment ink is a premium ink for roll-to-roll printers offering best in class color with deep, rich blacks and outstanding color saturation. Artistri® Pigment ink set meets the needs of quality conscious textile printers in fashion.

Applications

DuPont[™] Artistri® pigment ink is formulated with proprietary DuPont[™] technology and is compatible with industry standard calenders and stenter frames for drying and curing. Contact DuPont[™] Technical Support for a preferred pretreatment and process recommendation.

	Low Viscosity Inks	Mid Vi In	High Viscosity Inks	
Product	P1500	P2500	P2700	P3600
Available Colors	• • • •	••••		••••
Compatible Printhead	Epson F1440, 13200, l1600, S3200-A1, DX4, DX5, DX7	KM512i, KM1024i, Ricoh GH2220 SII Printek SPT 225, 508GS Xaar 5601	Epson S3200-A3 Kyocera KJ4B 600dpi, 300dpi	Dimatix StarFire SG1024 Ricoh Gen 4, 4L, 5E, 5F, 6, TH6310F

- Brilliant and high saturation
- Dispersion technology enables higher pigment loads and print quality
- Superior light fastness
- Designed for range of printheads and high-volume printing applications



Artistri® Inks for Wall Covering

Water-based Pigment Inks for Inkjet Digital Printing

DuPont[™] Artistri® Pigment ink is a premium ink for roll-to-roll printers offering best in class color with deep, rich blacks and outstanding color saturation. Artistri® Pigment ink set meets the needs of quality conscious textile printers in wall covering applications.

Applications

DuPont[™] Artistri® pigment ink is formulated with proprietary DuPont[™] technology and is compatible with industry standard calenders and stenter frames for drying and curing.

Contact DuPont™ Technical Support for a preferred pretreatment and process recommendation.

	Low Viscosity Inks	Mid Viscosity Inks	High Viscosity Inks
Product	P1500	P2700	P3600
Available Colors	• • •		••••
Compatible Printhead	Epson F1440, I3200, I1600, S3200-A1, DX4, DX5, DX7	Epson S3200-A3 Kyocera KJ4B 600dpi, 300dpi	Dimatix StarFire SG1024 Ricoh Gen 4, 4L, 5E, 5F, 6, TH6310F

- Brilliant and high saturation
- Dispersion technology enables higher pigment loads and print quality
- Superior light fastness
- \cdot Designed for range of printheads and high-volume printing applications
- High burnishing and scrub resistance



Artistri® Inks for Home Decor

Water-based Pigment Inks for Inkjet Digital Printing

DuPont™ Artistri® Pigment ink is a premium ink for roll-to-roll printers offering best in class color with deep, rich blacks and outstanding color saturation. Artistri® Pigment ink set meets the needs of quality conscious textile printers in home décor and furnishing applications.


Applications

DuPont[™] Artistri® pigment ink is formulated with proprietary DuPont[™] technology and is compatible with industry standard calenders and stenter frames for drying and curing.

Contact DuPont™ Technical Support for a preferred pretreatment and process recommendation.

	Low Viscosity Inks	Mid Vi: In	High Viscosity Inks	
Product	P1500	P2500	P2700	P3600
Available Colors	• • • •	••••		
Compatible Printhead	Epson F1440, I3200, I1600, S3200-A1, DX4, DX5, DX7	KM512i, KM1024i, Ricoh GH2220 SII Printek SPT 225, 508GS Xaar 5601	Epson S3200-A3 Kyocera KJ4B 600dpi, 300dpi	Dimatix StarFire SG1024 Ricoh Gen 4, 4L, 5E, 5F, 6, TH6310F

- Brilliant and high saturation
- Dispersion technology enables higher pigment loads and print quality
- Superior light fastness
- Designed for range of printheads and high-volume printing applications



Artistri® Inks for Performance Fashion

Water-based Dye Sublimation Inks for Inkjet Digital Printing

DuPont™ Artistri® Dye Sublimation series is a premium ink set for roll-to-roll printers offering best in class color with deep, rich blacks and outstanding color saturation. Artistri® Dye Sublimation inks meet the needs of quality conscious textile printers in multiple market areas including – garment decoration, sportwear, fast fashion/couture.

Applications

DuPont[™] Artistri[®] dye sublimation ink set is formulated with proprietary DuPont[™] technology and is compatible with industry standard equipment and workflows.

Contact DuPont™ Technical Support for process recommendations.

	Low Viscosity Inks	Mid Viscosity Inks
Product	S1500	S2500/2600
Available Colors	• • •	• • • •
Compatible Printhead	Epson F1440, DX4, DX5 Panasonic UH-HA810, UH-HA820	Panasonic UH-HA810, UH-HA820 Kyocera KJ4B 600dpi, 300dpi SII Printek SPT 255

- · Brilliant and high saturation
- Superior wash fastness
- Designed for range of printheads and high-volume printing applications

DuPont™ Artistri® Product Offering

Textile Inks and Auxiliaries





GOTS Approved Inks Approved by: Ecocert Greenlife No. (GOTS-ECOCERT-)08-00807

Textile Ink Products

				Low	Viscosity In (3-4 cps)	iks			N	Mid Viscos (6-8 c	sity Inks ps)			Hig	h Viscosi (10-12 cp	y Inks s)
Market Appl	ication	Flag & Banner														
		Garment														
		Home Furnishing														
Application			F	RTR	DT	G	DTF			RTR			DTG	RTR	ı	OTG
			Dye Sub	Pigment	Pigment	, , ,	Pigment		Dye Sub		Pigment		Pigment	Pigment		Pigment
		Color	21500	P1500	P5000	P5500	P1600	SB1100	\$2500/ \$2640	P2500	PK2600	P2700	P7000	P3600	P3500	P6000
		Cyan	•	•	•	•	•		•	•	•	•	•	•	•	•
		Light Cyan								•		•		•	•	•
		Magenta	•	•	•	•	•		•	•	•	•	•	•	•	•
		Light Magenta								•		•		•	•	•
		Yellow	•	•	•	•	•		•	•	•	•	•	•	•	•
		Black	•	•	•	•	•	•	•	•	•	•	•	•	•	•
		Light Black						•				•				
		Red						•			•	•		•		•
		Orange					•			•	•	•		•	•	•
		Violet						•			•	•				
		Green					•	•			•	•		•		•
		Blue						•		•	•	•				
		Navy						•								
		White				0	0						0			0
Recommend	ed Use															
		F700														
	Flushing Solution	F800														
Textile	551011011	KF200														
Auxiliaries		P5001														
	Pretreatment	P5003														
		P5010														



OEKO TEX®

ECO PASSPORT

^{*} SB1182 Blue, P2780 Blue, P1660 Orange, and P1675 Green Pigment Inks are under GOTS evaluation.

DuPont™ Artistri® Product Offering

Textile Inks and Auxiliaries

Ink-to-Printhead Compatibility Matrix (Based on testing by DuPont™ at DuPont™ facilities)

		Low Viscosity Inks (3-4 cps)										High	Viscosity 10-12 cps	y Inks s)			xtile liaries		
		Dye Sub			Pigment		Acid	Dye Sub			Pignient			Pigment		Color Protector		Flushing Solution	
Printhead Manufacturer	Printhead Model	51500	P5000	P1500	P1600	P5500	SB1100	S2500/ S2640	P2500	PK2600	P2700	P7000	P3500	P3600	P6000	CP600	F700	F800	KF200
Fuji Dimatix	Dimatix Samba Dimatix StarFire SG1024																		
Epson	F1440 I3200-A1 / I1600-A1 S3200-A1 S3200-A3		=		•	=													
	DX4 & DX5 DX7		= =		•	•													
Konica Minolta	KM512i KM1024i Panasonic (UH-HA810) Panasonic (UH-HA820)							•											
Куосега	Kyocera KJ4B 600dpi Kyocera KJ4B 300dpi																		
	Ricoh Gen 4 (MH2420) Ricoh Gen 4L (MH2620/2820) Ricoh Gen 5E (MH5421/5441) Ricoh Gen 5F (MH5421F)							_			_		=	=					
Ricoh	Ricoh Gen 5MF (MH5421MF) Ricoh GH2220 Ricoh Gen 6 (MH5320) Ricoh TH5241 Ricoh TH6310F											•	-	•	=			=	-
SII Printek	SII Printek SPT 255 SII Printek SPT 508GS								=										
Xaar	Xaar S601 Xaar Nitrox GS6 Xaar Nitrox GS12											•	-						

DuPont™ Artistri® Flushing Solutions

Textile Auxiliary



Product Datasheet

Properties	F700	KF200	F800		
Chemical Constitution	Preparation of water soluble chemicals	Preparation of water soluble chemicals	Preparation of water soluble chemicals		
Ionic Character	Anionic	Anionic	Anionic		
рН	8.0 - 9.0	9.0 - 9.5	7.5 – 9.5		
Viscosity	− 2 cps@25°C	6 – 8 cps@25°C	– 8 cps@25°C		
Physical Form	Colorless to light brown liquid	Colorless liquid	Colorless to light brown liquid		
Storage	Storage temperature should be kept below 60°C and above 0°C.	Storage temperature should be kept below 60°C and above 0°C.	Storage temperature should be kept below 60°C and above 0°C.		
Shelf Life (under recommended storage conditions)	18 months	18 months	18 months		
Applicable Ink Chemistries	Pigment, Dye Sublimation	Pigment, Dye Sublimation	Dye Sublimation, SolarBrite™ Ink		
Print Heads ¹ (confirmed compatibility)	Ricoh Gen 5E (MH5421/5441) Epson DX-4, DX-5, and DX-7 MS printers using Kyocera 600 dpi KJ4B printheads	Ricoh Gen 5E (MH5421/5441) Konica Minolta/Panasonic (UH-HA810 & UH-HA820) Kyocera KJ4B (excludes 600 dpi printheads on MS printers)	Kyocera KJ4B		
Lless?	Flushing Ink Change Over Priming	Flushing Ink Change Over Priming	Flushing Ink Change Over Priming		
Uses ²	Light Clogs	Light Clogs	Light Clogs		
	Light Clogs	Light Clogs	Hard Clogs³		

 $^{^{\}rm 1}$ Consult your sales person for questions regarding additional printheads



² Refer to the DuPont™ Artistri® Ink Conversion Procedure

³ Refer to the DuPont™ Artistri® F800 Cleaning Procedure

^{*} PT200 Pretreatment Solution under GOTS evaluation

^{*} F800 Flushing Solution under GOTS evaluation

The Brightest & The Boldest Colors

Artistri® DTF Pigment Inks

Artistri® P1600 DTF (direct-to-film) ink set delivers vibrant colors on a variety of fabrics!

Experience the flexibility and convenience of DTF printing with world-class Artistri® inks that offer superior and consistent performance.





OUPONT Artistri.





The Color of Things to Come







artistritextile.dupont.com

Copyright © 2025 DuPont[™]. All rights reserved. DuPont[™], the DuPont Oval Logo, and all trademarks and service marks denoted with [™], [™] or [®] are owned by affiliates of DuPont[™] de Nemours, Inc. unless otherwise noted. K-29878-9 (4/24)

